



# HI-TECH PRODUCT CATALOGUE 2021



NIPPON PAINT (INDIA) PRIVATE LIMITED,  
No.3, 3<sup>rd</sup> Floor, Club House Road, Chennai - 600 002.  
Tel: 044 4298 2222, Fax: 044 4298 2200

SMS NIPPON to 56070 | Toll Free: 1800 425 3636 | E-mail: tu@nipponpaint.co.in

[www.nipponpaint.co.in](http://www.nipponpaint.co.in)



## THE NIPPON PAINT GROUP

Nippon Paint Group, based in Japan, has over 140 years of experience in the paint and coatings industry. It is among the leading paint manufacturers of the world and is number one in Asia.

Nippon Paint produces high quality paints and coats for the automotive, industrial and decorative sectors.

Over the years, Nippon Paint has perfected its products by means of breakthrough paint technology with emphasis on innovation and eco-friendliness. We are driven by the philosophy of enhancing life through innovations, to consistently deliver paint solutions that not only serve your needs, but also protect the world we live in.



## NIPPON PAINT INDIA

Nippon Paint India is more than 14 years old and is steadily making head-way into the paint market. Nippon Paint has a range of interior, exterior and enamel finishes.

To showcase its prowess in technology, the company also has a range of speciality products.

## GO GREEN NO MATTER WHICH COLOUR YOU CHOOSE

At Nippon Paint, we are committed to keeping our planet safe. That's why our products are designed to enhance the quality of your life, while protecting our environment and preserving precious resources. Our practices and philosophy are deeply rooted in the belief that we must preserve this beautiful and irreplaceable Earth for future generations. We have extended our Green philosophy to a wide range of products. So join us, make Nippon Paint a part of your homes and help keep the planet Green, the way it's meant to be. All Nippon Paint production factories are state-of-the-art with strict adherence to our Green philosophy.





# BEAUTIFUL PAINTS FOR BEAUTIFUL INTERIORS

A coat of paint is truly an art inspired by science. Every hue brings with it a fresh wave of emotion and brings your interiors to life. Nippon Paint leverages world-class technology and innovation to bring to your home kaleidoscopic colour choices and superior features. These include breakthrough odourless technology, low VOC, anti-bacterial and anti-fungal properties, easy washability, durability and more. Choose Nippon Paint for your interiors. Give your home the facelift it deserves.

# SATIN GLO PRIME

LUXURY INTERIOR EMULSION

NIPPON PAINT SATIN GLO PRIME is a luxury interior emulsion is based on pure acrylic emulsion formulated to impart high sheen to decorate interior walls. It possesses excellent washability and stain resistance to keep the walls beautiful for long. It's a low VOC product which ensures safe and healthy interiors. Its anti-bacterial property provides proven protection against bacteria.

**Dilution:** Upto 40% by volume with clean potable water. Upto 20% by volume with clean potable water for dark shades. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 240-260 sq.ft./litre/coat & 110-130 sq.ft./litre/2 coats (Actual coverage is dependant on the substrate condition, surface porosity, method of application).



High Sheen Finish



Low VOC



Anti-bacterial



Stain-resistant



# Odour~less AIRCARE

FOR REFRESHING INTERIORS

NIPPON PAINT ODOURLESS AIRCARE is an air purifying paint that contains active carbon technology which converts formaldehyde into water vapour, resulting in clean fresh air. It also has ultra low VOC and no odour, is anti-bacterial and possesses superior washability. The product does not contain lead and mercury and is ideal for eco-sensitive buildings.

**Dilution:** 10-20% by volume with clean, potable water. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 107-129 sq.ft./litre/coat (Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Anti-formaldehyde



Anti-bacterial



Near Zero VOC



Superior Washability and Scrub Resistance



# SATIN GLO+

## PREMIUM INTERIOR WALL FINISH

### NIPPON PAINT SATIN GLO+

is a premium interior wall finish specially formulated to impart a rich satin-like sheen and is stain resistant to decorate interior walls. Its anti-bacterial property provides proven protection against bacteria and also contains ultra-low VOC ensuring safe and healthy interiors.

**Dilution:** 30-40% by volume with clean, potable water.  
20-30% by volume with potable water for dark shades.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 280-320 sq.ft./litre/coat & 150-175 sq.ft./litre/2 coats  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity,method of application).



Good Sheen



Anti-bacterial



Stain-resistant



Ultra Low VOC



# SATIN GLO AURA

## ROYAL INTERIOR WALL FINISH

### NIPPON PAINT SATIN GLO AURA

is an interior emulsion with special polymer technology to impart soft sheen to decorate interior walls. It possesses excellent washability and stain resistance to keep the walls beautiful for long. Its low VOC ensure safe and healthy interiors.

**Dilution:** 10-20% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 280-320 sq.ft./litre/coat & 150-175 sq.ft./litre/2 coats  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity,method of application).



Anti-fungal



Low VOC



Stain-resistant



# SPOTLESS NXT

STAIN REPELLENT EMULSION

## NIPPON PAINT SPOTLESS NXT

is a specially formulated acrylic emulsion paint that repels household stains such as tea, coffee, juices, ink, hand-prints, etc. Its unique 'Swan-back' technology makes it highly resistant to the penetration of water-borne stains, and causes them to form beads. This 'beading effect' ensures stains don't stick and can be removed easily without damaging the paint. Nippon Paint Spotless NXT is a high quality paint that is suitable for bedrooms, hallways, living and dining rooms.

**Dilution:** 30-40% by volume with clean, potable water & 20% dilution for dark shades. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 200-250 sq.ft./litre/coat & 100-120 sq.ft./litre/2 coats (Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Swan-back Technology



Ultra Low VOC



Stain Repellent

# MATEX EZ WASH

## WASHABLE INTERIOR EMULSION

## NIPPON PAINT MATEX EZ WASH

is an interior emulsion with excellent value for money, washability, high durability and a silky, smooth finish. This modified acrylic emulsion has superior cleaning properties that give you spotless interiors. It resists fungal growth and emits a fresh fragrance.

**Dilution:** Upto 40% by volume with clean, potable water. 20-30% by volume with potable water for dark shades. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 220-240 sq.ft./litre/coat & 120-130 sq.ft./litre/2 coats (Actual coverage is dependent on the substrate condition, surface porosity, method of application).



Fragrance



Superior Washability



Pearl Sheen



Low VOC



Stain-resistant



# MATEX GOLD

Premium Acrylic Emulsion

## NIPPON PAINT MATEX GOLD

is a premium acrylic emulsion which provides a smooth sheen finish to interior walls. It delivers excellent coverage, possesses good washability and has low VOC, hence maintaining a healthy home.

**Dilution:** 50-60% by volume with clean, potable water.  
20-30% by volume with potable water for dark shades.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 280-325 sq.ft./litre/coat & 150-175 sq.ft./litre/2 coats  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Excellent Coverage



Low VOC



Good Washability

# BREEZE STAR

## NIPPON PAINT BREEZE STAR

is an interior emulsion which contains superior pigment composition along with rich polymer which provide a superior sheen finish and a dazzling look to your wall, at an economical price.

**Dilution:** 40-50% by volume with clean, potable water.  
20-30% by volume with potable water for dark shades.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 230-250 sq.ft./litre/coat & 130-140 sq.ft./litre/2 coats  
(Actual coverage is dependant on the substrate condition, surface porosity, method of application).



Sheen Finish



Excellent Coverage



Low VOC



Year Protection\*

# VINILEX

Washable Interior Emulsion

## NIPPON PAINT VINILEX

is a specially formulated water based modified acrylic emulsion paint for interior walls. It is durable, washable and provides a superior smooth finish. It offers good hiding and spreading qualities.

**Dilution:** 50-60% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 130-150 sq.ft./litre/2 coats  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



# BREEZE

INTERIOR EMULSION

## NIPPON PAINT BREEZE

is an economy interior emulsion that provides a smooth finish. It contains Low VOC and is odourless. It delivers an excellent finish by covering any stains or spots on wall surfaces.

**Dilution:** 60-65% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 120-130 sq.ft./litre/2 coats  
(Actual coverage is dependant on the substrate condition, surface porosity, method of application).



# MOMENTO

## SPECIAL EFFECT PAINT

### NIPPON PAINT MOMENTO

is a range of special effect paint - an unorthodox approach to painting surfaces. Momento offers you a choice of textures to unleash creativity.. This particular paint has a high drying time. Whether it is a frosted look or a luminous gold, silver or pearl sheen, Momento can turn surfaces like interior walls, ceilings, cement-based plasters, gypsum based plasters, brick works, hard and soft boards and fibre cement boards into a conversation starter.

**Dilution:** 10-20% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 107-129 sq.ft./litre/coat  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Stain-resistant



Fungal Resistance



Low VOC



Extended Open Time



# KIDZ

## ALL-IN-ONE PAINT

### NIPPON PAINT KIDZ

is an all-in-one paint is specially formulated for kids and has 3 unique technologies i.e clean air based on active carbon technology, safe touch based on silver ion technology and creativity based on anti-stain technology.

**Dilution:** 20-30% by volume with clean potable water.  
Up to 20% by volume with clean potable water for dark shades.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 200-220 sq.ft./litre/coat & 100-120 sq.ft./litre/2 coats  
(Actual coverage is dependant on the substrate condition, surface porosity, method of application).



Silver Ion Technology



High Sheen Finish



Anti-formaldehyde



Anti-bacterial



Excellent Washability



Low VOC



Year Protection\*

\*\*T&C apply

# CEILING FRESH INTERIOR EMULSION

## NIPPON PAINT CEILING FRESH

is a specially formulated paint based on modified acrylic emulsion with smooth matt finish for interior use. The paint changes colour from pink to white as it dries so that the applicator never misses a spot.

**Dilution:** 60-65% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 100-130 sq.ft./litre/2 coats  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Low VOC



Excellent Hiding

Your home's facade stands exposed to the critical eye of first impressions. And, first impressions are seldom forgotten. Nippon Paint's range of exterior paints lasts a lifetime, boasting of properties like water-resistance, dirt pick-up resistance, anti-algal, anti-fungal, alkali-resistance and UV resistance. These exterior emulsions protect and preserve the freshness of your home, and the impression it leaves. Choose Nippon Paint for your exteriors. Give your home the facelift it deserves.

# MAKE YOUR FIRST IMPRESSIONS LAST WITH EXTERIOR PAINT



# WEATHERBOND PRO

HIGH DURABLE  
EXTERIOR EMULSION

## NIPPON PAINT WEATHERBOND PRO

is a high performance, pure acrylic exterior painting system which offers outstanding protection for exterior surfaces. The product also offers unique protection against water, algal attack, dust pick-up, hairline crack bridging, efflorescence and extreme weathering. Weatherbond PRO system provides effective waterproofing and anti-carbonation properties.

**Dilution:** 20% by volume with clean, potable water. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** Emulsion: 55-65 sq.ft./litre/2 coats  
Base coat: 30-35 sq.ft./litre per coat  
(Actual coverage is dependant on the substrate condition, surface porosity, method of application).



Dirt Pick-up Resistant



Water Repellent



Low VOC



Algal and Fungal  
Resistance



High Durability



15  
Year Protection\*

\*T&C apply

# WEATHERBOND ADVANCE

FOR SUPREME WEATHER PROTECTION

## NIPPON PAINT WEATHERBOND ADVANCE

is an all-weather protection exterior paint which possesses a unique lamination technology with silicone, providing twice the toughness and durability resulting in supreme protection against harsh weather conditions.

**Dilution:** 40-50% by volume with clean, potable water. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 110-130 sq.ft./litre/coat  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Lamination Technology



Ultra Low VOC



Dirt Pick-up Resistant



10  
Year Protection\*

\*T&C apply

# DURAFRESH SOLO

SELF PRIMING TECHNOLOGY

## NIPPON DURAFRESH SOLO

is a specially formulated self priming exterior emulsion paint having systematic UV cross-linking mechanism exhibiting excellent balance of flexibility and dirt pick-up resistance. It exhibits heat ban technology which reduces surface temperature by up to 7°C. It imparts a rich sheen finish and has anti-algal resistance to keep your walls fresh for a longer time.

**Dilution:** Self-priming 1st coat 50% by volume with clean, potable water, 2nd coat upto 10% by volume with clean, potable water. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 100-120 sq.ft./litre/coat & 50-60 sq.ft./litre/2 coats (Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Heat Ban Technology



Ultra Low VOC



7 Year Protection\*



Water Repellent



Self Priming

\*T&C apply

# SUMO XTRA

DURABLE EXTERIOR EMULSION

## NIPPON PAINT SUMO XTRA

is a specially formulated water based emulsion with colour-lock technology which ensures that the colours look bright and clean. Its unique water resistant property keeps your exterior walls protected and beautiful for long.

**Dilution:** 40-50% by volume with clean, potable water. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 110-130 sq.ft./litre/coat & 55-65 sq.ft./litre/2 coats (Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Colour-lock technology



Low VOC



Water Resistance



5 Year Protection\*

\*T&C apply

# SAMURAI

**SUPER ACRYLIC EXTERIOR EMULSION**

## NIPPON PAINT SAMURAI

is a specially formulated water based acrylic emulsion paint ideally suited for dry and moderately humid climatic conditions. It is anti-peel, anti-fungal and resists fading. It is durable and offers good hiding and spreading.

**Dilution:** 50-60% by volume with clean, potable water.

For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 120-140 sq.ft./litre/coat & 55-65 sq.ft./litre/2 coats  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).

# SHOGUN

**EXTERIOR EMULSION**

## NIPPON PAINT SHOGUN

is a specially formulated acrylic modified based exterior emulsion paint suitable for exterior dry and less humid weather conditions. Its superior ingredients ensure that the exterior wall is protected from algal & fungal attack hence keeping it spotless for long.

**Dilution:** Up to 30% by volume with clean, potable water.

For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 40-50 sq.ft./litre/2 coats  
(Actual coverage is dependent on the substrate condition, surface porosity, method of application)



High Durability



Low VOC



Anti-algal



Water Resistance



Anti-algal



Excellent Hiding

# ROOF COATING EMULSION

High-gloss

## NIPPON PAINT ROOF COATING

is an acrylic paint that is specially formulated for painting and re-painting asbestos and roof tiles. It is easy to apply and forms a smooth, tough, durable film with excellent sheen. It is also resistant to fungi/algae, water and dirt.

**Dilution:** Ready to use. If necessary, dilute with 5% potable water. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 110-130 sq.ft./litre/coat & 55-65 sq.ft./litre/2 coats (Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).

# FLOOR GUARD

## NIPPON PAINT FLOOR GUARD

is a superior quality paint, which was specifically developed to provide an exceptional hard, durable, adhesion. It is an acrylic emulsion coating for cement and paver blocks. It has excellent alkali resistance properties, and provides complete protection against the weather.

**Dilution:** Up to 30% by volume with clean, potable water. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 40-50 sq.ft./litre/2 coats (Actual coverage is dependant on the substrate condition, surface porosity, method of application)



Water Repellent



Low VOC



High Sheen



Excellent Scrub Resistance



Excellent Adhesion



Low VOC

# SUMO XTRA TILE COAT

NIPPON PAINT SUMO XTRA TILE COAT is an acrylic paint which is specially formulated for painting roof tiles. It is easy to apply and forms a smooth, tough film, which is durable.

**Dilution:** Upto 30% by volume with clean, potable water. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 100-120 sq.ft./litre/coat & 50-60 sq.ft./litre/2 coats (Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).

# ATOM FIBRA

FIBRE REINFORCED INTERIOR AND EXTERIOR EMULSION

NIPPON PAINT ATOM FIBRA 2-IN-1 is a multi-purpose emulsion paint specially designed for both interior and exterior walls. It is reinforced with microfibres which gives enhanced mechanical strength to the paint film.

**Dilution:** 50% by volume with clean, potable water for both Interior as well as exterior application. 20-30% by volume with potable water for dark shades. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** Interior: 180-210 sq.ft./litre/coat & 100-110 sq.ft./litre/2 coats  
Exterior: 100-110 sq.ft./litr/coat & 55-60 sq.ft./2 coats (Actual coverage is dependant on the substrate condition, surface porosity, method of application).



Dirt Pick-up Resistant



Excellent Adhesion



Low VOC



Crack Bridging



2-in-1 Emulsion



Anti-carbonation  
Technology



Excellent Coverage



Easy Washability



Low VOC



4  
Year performance  
warranty\*

\*T&C apply

# ATOM 2-IN-1

## MULTI-PURPOSE EMULSION

### NIPPON PAINT ATOM 2-IN-1

is a flat and durable multi-purpose emulsion which makes it ideal for both interior and exterior surfaces. Following extensive R&D and by listening to our decorating partners' inputs, this dynamic paint has been developed for maximum performance which is based on acrylic modified emulsion.

**Dilution:** 10-20% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 107-129 sq.ft./litre/coat  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Superior Washability



Low VOC



Low Odour



2-in-1 Emulsion



3 Year Protection\*

\*T&C apply



# ENHANCING THE INTERIORS AND EXTERIORS PAINTS FOR WOOD & METAL

Aesthetics lie in the rhythm and balance of a space. Wood and metal brought together, create a unique setting that can be manipulated to create ancient charm or modern functionality. As beautiful as these surfaces are, wood and metal are sensitive to natural elements and need to be cared for. Fortunately, Nippon Paint has a range of products that can help you keep them beautiful and healthy.

# SATIN ENAMEL

## NIPPON PAINT SATIN ENAMEL

is a specially blended enamel paint that protects and beautifies interiors, exteriors, wood, metal and masonry surfaces. It imparts a rich, satin finish with a soft sheen and forms a layer which is tough, washable and long-lasting. It is resistant to alkali, stains and water.

**Dilution:** 10% by volume with mineral turpentine/general purpose thinner

**Coverage:** 190-230 sq.ft./litre/coat & 110-140 sq.ft./litre/2 coats  
(Actual coverage is dependant on the substrate condition, surface porosity, method of application).



Lead-free



Excellent Hiding



High Mar Resistance

# BODELAC

## High Gloss Enamel

## NIPPON PAINT BODELAC ENAMEL

is a specially blended, alkyd-based synthetic enamel. It has no added lead or chrome compounds, thus making it safe. It has excellent gloss retention and is suitable for a wide variety of interior and exterior metal, wood and masonry surfaces.

**Dilution:** 10% by volume with mineral turpentine/general purpose thinner

**Coverage:** 190-230 sq.ft./litre/coat & 110-140 sq.ft./litre/2 coats  
(Actual coverage is dependant on the substrate condition, Film Thickness, surface porosity, method of application).



Lead-free



High Gloss



Anti-fungal

# AQUA BODELAC

Water based enamel

Semi-gloss

## NIPPON PAINT AQUA BODELAC

is a water based enamel semi-gloss provides rich satin finish and can be used for walls and masonry surfaces. It is safe, low odour, low VOC with excellent washability and durability.

**Dilution:** 10-20% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 100-120 sq.ft./litre/2 coats  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Rich Satin Finish



Excellent Fungal Resistance



Low Odour



Low VOC

# CLEARTONE

## PU Wood Finish

## NIPPON PAINT CLEAR TONE PU

is a two-pack polyurethane finish which protects the wood and maintains its natural beauty. It comes in gloss and matt finishes for multiple surfaces. Its tough film ensures no scratches and stains on the wood. The acid and alkali resistant property protects the surface from household cleansers. It is resistant to UV, algal and fungal attacks.

Available for both interior & exterior.

**Dilution:** 20-25% Cleartone thinner

**Coverage:** 85-110 sq.ft./litre/coat & 45-55 sq.ft./litre/2 coats  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Tough Film



Non Yellowing



Acid and Alkali Resistant



Algal and Fungal  
(Only in exterior)

# MELAMIC

## Interior Wood Finish

### NIPPON PAINT MELAMIC

is a specially formulated, solvent-based, two-pack transparent wood finish for interiors. Its superior low odour formulation not only protects wood and veneers from scratches and stains but also enhances its aesthetics.

Available for interior.

**Dilution:** Up to 20-25% by volume using Nippon Paint Melamic thinner only

**Coverage:** 100-120 sq.ft./litre/coat & 50-60 sq.ft./litre/2 coats  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Low Odour



No Added Lead



High Mar Resistance

# WOOD MAGIC

### NIPPON PAINT WOOD MAGIC

is a highly durable, single pack polyurethane-based paint that beautifies and protects wood surfaces. While it enhances the elegant and rich look of natural wood, it also protects furniture for long periods.

Available for both interior & exterior.

**Dilution:** Upto 10% by volume with mineral turpentine / general purpose thinner.

**Coverage:** 40-50 sq.ft./litre for 2 coats  
(Actual coverage is dependent on the substrate condition, surface porosity, method of application)



Lead-free



High PU Content



High Sheen

Before painting your walls, preparing your walls is the first step to ensure that your paints last long. Nippon Paint has a range of undercoats that serve as preparatory coating before painting on a surface. Undercoats help ensure the adhesion of paint to the surface, increase the durability of the paint itself, and protects the surface that is being painted.

# KEEP YOUR SURFACES PROTECTED WITH OUR RANGE OF UNDERCOATS



# AQUA PRIMER

## FOR ALL SURFACES

NIPPON PAINT AQUA PRIMER can be used on wood, wall and metal surfaces, provides superior bonding and enhances durability of top coat.

**Dilution:** 20% by volume with clean, potable water for wood & metal surfaces. 50% by volume with clean, potable water for masonry surfaces. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** For wood & metal: 130-160 sq.ft./litre/coat  
For wall: 160-200 sq.ft./litre/coat  
(Actual coverage is dependant on the substrate condition, surface porosity, method of application).



High Solid Content



Low Odour



Low VOC



# DR.BOND

EFFLORESCENCE RESISTANT SEALER

NIPPON PAINT DR.BOND EFFLORESCENCE RESISTANT SEALER is a water-based penetrating sealer for concrete masonry and lime based surfaces. The product penetrates below the substrates surface and blocks lime from coming on to the surface.

Available for exterior surfaces.

**Dilution:** 100% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** Interior: 100-130 sq.ft./litre/coat  
(Actual coverage is dependant on the substrate condition, surface porosity, method of application).



Low VOC



Anti-efflorescence



Excellent Coverage

# MULTI PURPOSE WALL SEALER

EXTERIOR + INTERIOR

## NIPPON PAINT MULTI PURPOSE WALL SEALER

is a water-based wall sealer specially formulated to provide excellent adhesion and wall sealing. This product is suitable for both interior and exterior, masonry and gypsum surfaces. It bonds well with cement and plastered surfaces, thus enhancing the life of the top coat. It has superior anti-algal and anti-fungal properties.

Available for both interior & exterior surfaces.

**Dilution:** 100% by volume with clean, potable water for exterior  
50% by volume with clean, potable water for interior.

For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 110-140 sq.ft./litre/coat

(Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Anti-algal



Ultra Low VOC



Excellent Coverage



High Solid Content



High Emulsion Content

# INTERIOR PRIMER

## NIPPON PAINT INTERIOR PRIMER

is a specially formulated water-based primer for interior cement and masonry surfaces. It has good hiding properties and delivers excellent whiteness.

Available for interior surfaces.

**Dilution:** 50% by volume with clean, potable water.

For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 210-230 sq.ft./litre/coat

(Actual coverage is dependant on the substrate condition, Film Thickness, surface porosity, method of application).



Low VOC



Good Adhesion



Good Opacity

# EXTERIOR PRIMER

## NIPPON PAINT EXTERIOR PRIMER

is a specially formulated water-based primer for exterior cement, concrete & plastered surfaces. Its unique alkaline resistant formula provides extra protection to the top coat. It has excellent hiding and spreading properties.

Available for exterior surfaces.

Dilution: 100% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

Coverage: 100-110 sq.ft./litre/coat  
(Actual coverage is dependant on the substrate condition, surface porosity, method of application).



Low VOC



Anti-algal



Good Opacity

# LATEX INTERIOR PRIMER

## NIPPON PAINT LATEX INTERIOR PRIMER

is water-based and formulated to provide good adhesion to interior masonry and cement surfaces. It has good hiding properties and is easy to apply.

Available for interior surfaces.

Dilution: 50% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

Coverage: 210-230 sq.ft./litre/coat  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Low VOC



Good Adhesion



Good Opacity

# LATEX EXTERIOR PRIMER

NIPPON PAINT LATEX EXTERIOR PRIMER is water-based and is specially formulated for exterior cement, concrete and plastered surfaces. Its unique alkaline resistant formula provides extra protection to the top coat. It is also algal and fungal resistant.

Available for exterior surfaces.

Dilution: 100% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

Coverage: Interior: 100-110 sq.ft./litre/coat  
(Actual coverage is dependant on the substrate condition, surface porosity, method of application).



Low VOC



Anti-fungal



Good Opacity

# MULTI-PURPOSE SOLVENT PRIMER

NIPPON PAINT MULTI-PURPOSE SOLVENT PRIMER is a solvent-based undercoat for different types of wood, POP, gypsum and cement surfaces.

**Dilution:** Up to 10% by volume with mineral turpentine/general purpose thinner

**Coverage:** 130-160 sq.ft./litre/coat  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



Lead-free

# WOOD PRIMER

## NIPPON PAINT WOOD PRIMER

is a solvent-based undercoat with good adhesion and anti-fungal properties for different wooden surfaces.

**Dilution:** Up to 10% by volume with mineral turpentine/general purpose thinner.

**Coverage:** 130-160 sq.ft./litre/coat  
(Actual coverage is dependant on the substrate condition, surface porosity, method of application).



Anti-fungal



Good Opacity

# RED OXIDE METAL PRIMER

## NIPPON PAINT RED OXIDE METAL PRIMER

is a specially formulated undercoat for metal surfaces. It has anti-corrosive properties and provides good adhesion to the top coat.

**Dilution:** Up to 10% by volume with mineral turpentine/general purpose thinner

**Coverage:** 130-160 sq.ft./litre/coat  
(Actual coverage is dependant on the substrate condition, film thickness, surface porosity, method of application).



High Solid Content



Superior Quality  
of Red Oxide



# PROTECT YOUR HOME FOR LONGER WITH OUR WALLTRON RANGE

Walltron is a range of state-of-the-art construction solutions to protect your home for longer. Walltron products and services cater to an exhaustive list of requirements ranging from fungicidal solutions to repair polymers and adhesives. Our products include Kleanwall, N-Seal, Wall+, EnhanceR, Stylfix and Aquasil.

# Hydroshield Dampproof

NIPPON PAINT WALLTRON HYDROSHIELD DAMPPROOF is a fiber reinforced elastomeric coating used for waterproofing. It forms a thick elastic film which covers cracks and blocks water, thus offering excellent waterproofing.

**Dilution:** 20-30% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 25-30 sq.ft./litre/coat



Crack Bridging



Excellent Adhesion



Waterproofing



6 Year Protection\*



\*\*Reduces Heat  
Upto 7°C

# Hydroshield Dampseal

NIPPON PAINT WALLTRON HYDROSHIELD DAMPSEAL is a fibre reinforced elastomeric coating used as a waterproofing basecoat for vertical walls (waterproofing primer).

**Dilution:** 20-30% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 25-30 sq.ft./litre/coat



Crack Bridging



Excellent Adhesion



Waterproofing



User Friendly



3 Year Protection\*



# HYDROSHIELD SEALER

NIPPON PAINT WALLTRON HYDROSHIELD SEALER is an acrylic based penetrating primer designed for fresh concrete surfaces or highly alkaline substrate. It resists efflorescence and provides excellent sealing.

**Dilution:** Upto 70% by volume with clean, potable water. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** \*35-40 sq.ft./litre (forced Coverage)

# HYDROSHIELD

Waterproof Exterior Emulsion  
(Topcoat)

NIPPON PAINT WALLTRON HYDROSHIELD is a self cross-linking acrylic emulsion based coating. It is used as a waterproof and durable coating to protect exterior walls. It gives excellent waterproofing, elasticity, breathability and crack bridging properties.

**Dilution:** 20-30% by volume with clean, potable water. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 60-70 sq.ft./litre/coat



Anti-efflorescence



Alkali-resistant



Waterproof



Dirt Pick-up Resistant

# AQUASIL

## Water Repellent Solution

### NIPPON PAINT WALLTRON AQUASIL

is a water-based, high performance silicone clear, waterproofing compound. It has excellent hydrophobicity, so it does not allow water to penetrate the surface, while giving the product excellent permeability to aid evaporation of blocked moisture from inside.

**Dilution:** (1:9)

**Coverage:** 70-100 sq.m  
for diluted Aquasil (Depending on porosity of surface)



Low VOC



Water Repellent

# EnhanceR

## Multipurpose Polymer

### NIPPON PAINT WALLTRON ENHANCER

is a ready-to-use, high solid, high performance polymer based on acrylic co-polymer. It shows excellent waterproofing property when mixed with cement.

**Dilution:** Not required

**Coverage:** Waterproofing: 30-35 sq.ft./kg in 2 coats  
Bonding agent: 45-50 sq.ft./kg per coat



Water Repellent



Excellent Adhesion



Extreme Durability

# KLEANWALL

Fungicidal Solution

NIPPON PAINT WALLTRON KLEANWALL is a fungicidal solution recommended for highly infested exterior walls.

**Dilution:** Not required

**Coverage:** 100-110 sq.ft./coat



Algal and Fungal  
Resistance

# WALL+

Universal Repair Polymer

NIPPON PAINT WALLTRON WALL+ is a ready-to-use, high performance SBR based latex.

**Dilution:** 20-30% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** Waterproof coating: 22-25 sq.ft./kg in 2 coats  
Bonding agent: 45-50 sq.ft./kg per coat



Excellent Adhesion

# STYLFIX- TILE GROUTS

Polymer Modified Cement based Grout

NIPPON PAINT WALLTRON STYLFIX TILE GROUT is a cement based, single component, polymer modified non-shrink tile grout for filling tile joints up to a width of 4 mm. It has excellent water repelling, adhesion and workability properties.

**Dilution:** 20-30% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** Approximate coverage per 1kg of grout. Add 5-7% wastage in consumption



Excellent Adhesion



Water Resistant

# STYLFIX- TILE ADHESIVE

Polymer Modified Cement-based Grout

NIPPON PAINT WALLTRON STYLFIX TILE ADHESIVE is a single component, cement-based polymer modified adhesive for fixing tiles on floors, walls (interior/exterior) and even in tile-on-tile areas.

**Dilution:** 20-30% by volume with clean, potable water.  
For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** 2-3 sq.ft./kg for 3 mm thickness



Excellent Adhesion



Extreme Durability

# N-SEAL

Crack Fill Powder

NIPPON PAINT WALLTRON N-SEAL is a cement-based, polymer rich powder mix, used to fill cracks of 3-5 mm thickness on plaster surfaces.

**Dilution:** 20-30% by volume with clean, potable water. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** Approximately 25-30 running mtr/kg



# FR-Putty

Waterproof Putty

NIPPON PAINT WALLTRON FR-PUTTY is an efflorescence resistant, white cement-based, premium quality modified putty.

**Dilution:** 20-30% by volume with clean, potable water. For details on application method, dilution and coverage please refer to the product TDS also.

**Coverage:** Approximately 15-16 sq.ft./kg/mm



Water Repellent



Efflorescence Resistant



Exterior and Interior Surfaces



Smooth Finish



Excellent Coverage

# WP+

INTEGRAL LIQUID WATERPROOFING.

## NIPPON PAINT WALLTRON WP+

is specially formulated using selected surface active plasticising agents, chemicals and additives for cement concrete, mortar and plasters. It makes concrete cohesive, prevents segregation and reduces water permeability.

**Dosage:** 200 ml per 50 kg bag of cement

- Better compatibility
- Resists corrosion
- Permeability
- Shrinkage
- Workability
- Compressive strength



# Hydro Block 1K

Waterproofing Coating

## NIPPON PAINT WALLTRON HYDROBLOCK 1K

is a one pack, flexible, water proof coating having excellent adhesion to the substrate. It is easy to apply and provides excellent protection against dampness.

**Dilution:** Mix ratio (powder : water), self priming 1:1  
Mix ratio (powder : water), waterproof coat 3:1

**Dosage:** 15 sq.ft/kg/coat  
Coverage can vary depending upon the nature of the substrate

- Gives excellent protection from dampness
- Micro-sized particles which block water from coming out
- Excellent flexibility to accommodate minor structural movement
- Breathable film to prevent blister formation and to allow water vapour to pass
- Excellent bond strength
- Easy to apply



# Hydro Block <sup>2K</sup>

Waterproofing Coating

NIPPON PAINT WALLTRON HYDRO BLOCK 2K is a two component cementitious, flexible waterproofing coating. It is composed of best quality portland cement, properly selected and graded aggregates, additives and acrylic polymer as a binder. It is applied to waterproof and protect concrete structures.

**Dilution:** Mix ratio (powder : liquid), by weight 2:1

**Coverage:** 7.5-8 sq.ft./kg/2 coats  
Coverage can vary depending upon the nature of the substrate

- Flexibility
- Waterproof
- Adhesion
- Crack bridging
- Efflorescence resistant
- Anti carbonation
- Seamless coat
- Application - Easy to apply



# NSeal

## CRACK FILL PASTE

NIPPON PAINT WALLTRON NSEAL CRACK FILL PASTE is composed of a high quality weather durable acrylic emulsion polymer, carefully selected fillers, fibers and additives for interior as well as exterior surfaces. It is an easy to apply, single pack, ready-to-use, water resistant, flexible material for filling cracks in plastered surfaces. It has excellent bonding, durability, and aesthetic appearance.

**Coverage:** Approx 25-30 running mtr./kg.  
Coverage depends on size of the crack

- Paste form, non sagging
- Flexibility
- Eco-friendly
- Paintability
- Non-staining
- Bonding
- Durability
- Non-toxic

